		L	# Hits	Search Text	DBs
	1	L1	1	("6628866").PN.	USPA T
	2	L2	1	("20040086248").PN.	USPA T; US-P GPUB
	3	L3	1214	urethane adj acrylate adj oligomer	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM TDB
	4	L4	753	3 and (polyether glycol)	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB
	S	L5	194		USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM TDB
6		L6	128	5 and photoinitiator	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM IDB

		L #	Hits	Search Text	DBs
	7	L 7	9	6 and trishydroxyethyl	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB
8	3	Г8	9		USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB

		L #	Hits	Search Text	DBs
	1	L1	1	("6628866").PN.	USPA T
	2	L2	1	("20040086248").PN.	USPA T; US-P GPUB
	3	L3	1214	urethane adj acrylate adj oligomer	USPA T; US-P GPUB; PO; JPO; DERW ENT; IBM_ TDB
	4	L4	753	3 and (polyether glycol)	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB
	5	L5	194		USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM TDB
6		L6	128	5 and photoinitiator	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ IDB

	L	#	Hits	Search Text	DBs
7	L7		9	6 and trishydroxyethyl	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM TDB
8	L8		9	7 and radiation	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM TDB
9	L9		4	("5881194" "5561730" "5524164" "5905835"). PN.	USPA T; US-P GPUB
10	L10	-	1	9 and 3	USPA T; US-P GPUB
11	L11)	10 and isocyanurate	USPA T; US-P GPUB
12	L12	1	103	((522/96) or (522/173)).CCLS.	USPA T; US-P GPUB
13	L13	8	34075	12 an d3	USPA T; US-P GPUB
14	L14	1	.01	12 and 3	USPA T; US-P GPUB

		L #	Hits	Search Text	DBs
	15	L15	97	14 and (polyether glycol)	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB
	L 6	L16	31	15 and isocyanurate	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB
	7	L17	23	16 and photoinitiator	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB
.1	8	L18		17 and trishydroxyethyl	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM TDB

	L #	Hits	Search Text	DBs
19	L19	3	18 and radiation	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB
20	L20	22	17 and radiation	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM TDB
21	L21	0	20 and (tear adj resistance)	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM TDB
22	L22	6	12 and (tear adj resistance)	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB

	L#	Hits	Search Text	DBs
23	L23	0	22 and 3	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB
24	L24	49	12 and tear	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB
25	L25	. 5		USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB
26	L26	5	25 and (polyether glycol)	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB

	L #	Hits	Search Text	DBs
27	L27	2	26 and isocyanurate	USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB
28	L28	2		USPA T; US-P GPUB; EPO; JPO; DERW ENT; IBM_ TDB